

## Rituxan Order Form (rituximab)

FAX TO: 817-472-7213

PATIENT INFORMATION				
Patient Name:	DOB:	Phone:	Sex: M F Ht:	Wt: lbs kg
Primary Language:	_Allergies:			
Patient Preferred Location:				
<icd 10="" code="" required=""> DIAGNOSIS &amp; CLINICAL INFORMATION</icd>				
ICD 10 Code  M06.9 Rheumatoid Arthritis  M31.30 Granulomatosis w/Polyangitis (Wegener's Granulomatosis GPA)  M31.7 Microscopic Polyangitis  Other:				
<u>REQUIRED</u> : Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy. <u>LAB RESULTS:</u> Include Negative Hepatitis B within 3 years.				
PRESCRIPTION				
Pre-Medications Acetaminophen: 650 mg PO Methylprednisolone: 125 mg SIVP	Diphenhydramii Other:			
RITUXAN (rituximab)				
Infuse in 250-550 mL of 0.9% Sodium Chl	oride			
Loading Dose (SELECT ONE)         IV: Infuse 1000 mg       IV: infuse 375 mg/m² – Required $\rightarrow$ Height: Weight: lbs or kg				
Frequency and Duration (SELECT ONE) Infuse single dose				
Infuse every week for 4 weeks total				
Infuse initial dose at day 1 followed by 2nd dose on day 15, then repeat cycle every months for one year  Other frequency: for one year				
Is the patient on any other disease modifying therapy? Yes No				
If yes, please note therapy and last dose:  Post Treatment Observations: The patient is observed for 60 minutes following the first administration.				
Adverse Events: In the event of an adverse reaction occurring at a Medix Infusion suite, utilize the Medix Infusion adverse reactions protocol.				
Comments:				
PRESCRIBER INFORMATION				
Prescriber Name: Signature:				
Date: NPI #:		_		
Supervising Physician:		•		
Address:				, , , , ,
Contact Name:	•			•