

Ruxience Order Form (rituximab-pvvr)

FAX TO: 817-472-7213

	,	. ,		
	PATIEN	NT INFORMATION		
Patient Name:	DOB:	Phone:	Sex: M F Ht:	Wt: lbs kg
Primary Language:				•
	_			
Patient Preferred Location:				
<icd 10="" code="" required=""></icd>	DIAGNOSIS &	CLINICAL INFORM	ATION	
ICD 10 Code M06.9 Rheumatoid Arthritis M31.30 Granulomatosis w/Polyangitis M31.7 Microscopic Polyangitis Other:	(Wegener's Granuloma	atosis GPA)		
<u>REQUIRED</u> : Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy. <u>LAB RESULTS:</u> Include Negative Hepatitis B within 3 years.				
PRESCRIPTION				
Pre-Medications Acetaminophen: 650 mg PO Methylprednisolone: 125 mg SIVP	Diphenhydramiı Other:	_		
RUXIENCE (rituximab-pvvr)				
Infuse in 250-550 mL of 0.9% Sodium Chloride				
Loading Dose (SELECT ONE)				
IV: Infuse 1000 mg				
Frequency & Duration (SELECT ONE)				
Infuse single dose				
Infuse every week for 4 weeks total				
Infuse initial dose at day 1 followed by 2nd dose on day 15, then repeat cycle every months for one year				
Other frequency: for one year				
Is the patient on any other disease modifying therapy? Yes No If yes, please note therapy and last dose:				
Post Treatment Observations: The patient is observed for 60 minutes following the first administration.				
Adverse Events: In the event of an adverse reaction occurring at a Medix Infusion suite, utilize the Medix Infusion adverse reactions protocol.				
Comments:				
PRESCRIPED INFORMATION				
PRESCRIBER INFORMATION				
Prescriber Name:		Signature:		
Date: NPI #:		Specialty:		
Supervising Physician:				(If Applicable)
Address:	City:		State:	Zip:
Contact Name:	Phone:	Fax:	Email:	